UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/080,440	02/22/2002	Ashish Gupta	10019865-1	8447

7590 05/18/2004	EXAMINER
HEWLETT-PACKARD COMPANY	SHAH, SAUMIL R

Intellectual Property Administration	ART UNIT PAPER NUMBER
P.O. Box 272400	2186
Fort Collins, CO 80527-2400	

DATE MAILED: 05/18/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

	Application No.	Applicant(s)
Office Action Summary	10/080,440	GUPTA ET AL.
	Examiner	Art Unit
	Saumil Shah	2186

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>09 February 2004</u>.

2a)☒ This action is **FINAL.**   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-11 and 29-35</u> is/are pending in the application.

    4a) Of the above claim(s) <u>31 and 32</u> is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1-11, 29 and 33-35</u> is/are rejected.

7)☒ Claim(s) <u>30</u> is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

        1.☐ Certified copies of the priority documents have been received.

        2.☐ Certified copies of the priority documents have been received in Application No. _____.

        3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____.

DETAILED ACTION

Election/Restrictions

1.   Newly submitted claims 31 and 32 are directed to an invention that is

independent or distinct from the invention originally claimed for the following reasons:

The claims are drawn to access a plurality of memories in an interleaved manner

wherein at least one map table is provided which has a base number of entry items in

each entry where this base number identifies the number of ways of interleaving

memories. These claims are commensurate in scope with the claims of Group II, non-

elected without traverse on 11/03/2003.

        Since applicant has received an action on the merits for the originally presented

invention, this invention has been constructively elected by original presentation for

prosecution on the merits. Accordingly, claims 31 and 32 are withdrawn from

consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and

MPEP § 821.03.

Claim Rejections - 35 USC § 103

2.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

3.   Claims 1-4, 7, 11, 29, 34 and 35 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Lunteren (US Patent No. 6,381,668). In addition, the Microsoft Press

Computer Dictionary has been cited for definition purposes only.

a.   With regard to claims 1, Lunteren discloses a method of accessing a

plurality of memories in an interleaved manner using a logical address space

(note column 3, lines 63-65), the method comprising:

providing at least one map table, the at least one map table including a

plurality of entries (note column 4, lines 3-5 where mapping means teaches a

map table), each entry including a plurality of entry items, each entry item

identifying one of the memories (note figs 3B and 3C in which the table in 3C has

multiple entries and they correspond to one of the banks); and

accessing the memory identified by the first entry item (note it is well

known in the art that the mapped memory would then be accessed

corresponding to the address).

However, Lunteren differs in the following features of claim 1:

i.   Contiguous logical address space

ii.   receiving a first logical address, the first logical address including a

plurality of address bits (note column 5, lines 49-52), the plurality of

address bits including a first set of address bits corresponding to a first set

of entries in the at least one map table (note column 5, lines 51-52 where

Y can be considered to be the first set of address bits. Further note

column 6, lines 3-6 where X and Y portions are used to identify the bank

of memories);

iii.   identifying a first entry in the first set of entries based on the first set

and a second set of the address;

iv.   identifying a first entry item in the first entry based on a third set of

the address bits; bits (note column 6, lines 3-6 where X and Y portions are

used to identify the bank of memories which is the "first set of entries".

Further note, column 8, lines 29-31, where any combination of bits except

Y is used to identify the entry and entry item) and

It would have been obvious to one of ordinary skill in the art at the time the

invention was made to have a contiguous logical address space as mentioned in

point i above. Note figure 1B where the virtual address space is shown to map

into the physical address space and it is obvious that the entire virtual space is

mapped and that it would be contiguous else the purpose of using virtual

addresses would be defeated. So it would have been obvious to use a

contiguous logical address space since it would make the memory interleaving

transparent to the user. Refer to pg. 412 of the Microsoft Press Computer

Dictionary (second edition), which states a virtual memory as "A technique that

allows an application to se the system as providing a large uniform primary

memory, which in reality is smaller, more fragmented, and/or partially simulated

by secondary storage". This reference has been cited for definition purposes

only. Further, as mentioned in point iii above, it would have been obvious to use

another combination of bits from the address to map to the entry item in the set

of entries since the final result is that an entry item is selected from a set of

entries using the bits of the address.

b.   With regard to claim 2, Lunteren discloses the method of claim 1, wherein the first, second, and third sets of address bits are non-overlapping (note column 8, lines 14-16).

c.   With regard to claim 3, Lunteren discloses the method of claim 1, wherein the first, second, and third sets of address bits are each separated from one another by a plurality of other bits (note column 8, lines 11-14 where the third set of bits could be any set of bits excluding those in X and Y).

d.   With regard to claim 4, Lunteren discloses the method of claim 1, wherein the first set of address bits include more significant bits than the second set of address bits, and wherein the second set of address bits include more significant buts than the third set of address bits (note column 8, lines 28-35 where the bits could be in any order of significance and so this particular format of bits is one of the possible configurations).

e.   With regard to claim 6, Lunteren discloses the method of claim 1, and further comprising:

        storing a plurality of memory offset values in the at least one map table;

        identifying one of the memory offset values based on the first logical address; and

        wherein the memory identified by the first entry item is accessed at a memory location based at least in part on the identifies memory offset value (note figure 4A where the rightmost table contains entry items which represent

offset values in the memory. Further note, column 5, lines 36-38 where the entry items is said to represent a block).

f.   With regard to claim 7, Lunteren et al disclose the method of claim 1, wherein the at least one map table is organized into a plurality of rows and a plurality of columns, and wherein each row corresponds to one of the plurality of entries and each column within a row corresponds to one of the plurality of entry items (note figure 4A, rightmost table where the map table consists of a plurality of rows which form entry items and plurality of columns which form entries and that it has been well known in mathematics that the matrix can be inverted so that rows now become columns and columns become rows).

g.   With regard to claim 11, Lunteren disclose the method of claim 1, wherein the memories each include at least one memory segment, the memory segments organized into groups, the memory segments in each groups having a uniform size, and wherein each entry in the at least one map table corresponds to one of the groups of memory segments (note figure 4A where the rightmost table has columns that corresponds to banks of memory blocks which teaches "groups of memory segments").

h.   With regard to claim 29, Lunteren further teach the method of claim 1, wherein at least one of the entries in the first set includes entry items that are different than entry items of other entries in the first set (note figure 9, where the rows teach an entry and row 4 does not contain entry item 3 which is present in rows 0-3).

i.   With regard to claims 34 and 35, Lunteren discloses each of the features

as is described for claims 1 and 29 above.

4.   Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lunteren

(US Patent No. 6,381,668) in view of Grossier (US Patent No 6,553,478).

a.   With regard to claim 6, Lunteren discloses the subject matter of claim 1.

However, it fails to mention the following feature

method of claim 1 wherein the first logical address is a processor address.

Grossier discloses a system in which the logical address is a processor

address (note column 3, lines 2-3 and lines 22-23 where the processor consists

of an address controller which outputs an address to the system memory and

can hence be considered a processor address).

Hence it would have been obvious to one of ordinary skill in the art at the

time the invention was made to have used a processor address as a logical

address since that would allow the processor to access the memory without extra

processing to calculate the physical memory address.

5.   Claims 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Lunteren (US Patent No. 6,381,668) in view of Douglas et al (US Patent No 6,480,943).

a.   With regard to claim 8, Lunteren discloses the subject matter of claim 1

except:

i.   providing a multi-bit mask value;

ii.   providing a plurality of multi-bit match values;

iii.   extracting the first set of address bits from the first logical address

using the multi-bit mask value; and

iv.   comparing the extracted first set of address bits to the plurality of

multi-bit match values to identify a match.

Douglas et al teach a method comprising:

providing a multi-bit mask value (note figure 5, 510);

providing a plurality of multi-bit match values (note column 7, lines 63-64

where the comparator is a "multi-bit match value");

extracting the first set of address bits from the first logical address using

the multi-bit mask value (note figure 5, 510 where the mask is used to extract

address bits and compare with comparator); and

comparing the extracted first set of address bits to the plurality of multi-bit

match values to identify a match (note column 7, lines 65-67 where determining a

specific row is done by matching value masked with comparator).

Hence, it would have been obvious to one of ordinary skill at the time the

invention was made to have used a mask value and a comparator value since that

would reduce the size of the comparator required to match the values of the masked

value and the comparator value. It would additionally ease the process of mapping

addresses to a specific entry item in the map table.

b.   With regard to claim 9, Lunteren discloses the subject matter of claim 1

except:

i.   providing at least one multi-bit mask value;

ii.   providing a plurality of multi-bit match values;

iii.   extracting the second set of address bits from the first logical

address using the at least one multi-bit mask value;

iv.   comparing the extracted second set of address bits to the plurality

of multi-bit match values; and

v.   wherein the first entry in the first set of entries is identified based at

least in part on the comparison of the extracted second set of address bits

to the plurality of multi-bit match values

Douglas et al teach a method comprising:

providing at least one multi-bit mask value(note figure 5, 510);

providing a plurality of multi-bit match values (note column 7, lines 63-64

where the comparator is a "multi-bit match value");

extracting the second set of address bits from the first logical address

using the at least one multi-bit mask value (note column 7, lines 2-6-27 where the

mask is used to mask out bits not required to determine row and so it could be

used to extract the second set of address bits as it is used to identify the entry);

comparing the extracted second set of address bits to the plurality of multi-

bit match values (note column 7, lines 65-67 where determining a specific row is

done by matching value masked with comparator); and

wherein the first entry in the first set of entries is identified based at least

in part on the comparison of the extracted second set of address bits to the

plurality of multi-bit match values (note column 7, lines 65-67 where determining

a specific row is done by matching value masked with comparator and entry is taught by a row).

Hence, it would have been obvious to one of ordinary skill at the time the invention was made to have used a mask value and a comparator value since that would reduce the size of the comparator required to match the values of the masked value and the comparator value. It would additionally ease the process of mapping addresses to a specific entry item in the map table.

c.   With regard to claim 10, Lunteren discloses the subject matter of claim 1 except:

i.   providing a plurality of multi-bit mask value;

ii.   providing a plurality of multi-bit match values;

iii.   selecting one of the plurality of multi-bit mask values based on a desired interleave entry size

iv.   extracting the second set of address bits from the first logical address using the selected multi-bit mask value;

v.   comparing the extracted second set of address bits to the plurality of multi-bit match values; and

vi.   wherein the first entry in the first set of entries is identified based at least in part on the comparison of the extracted second set of address bits to the plurality of multi-bit match values

Douglas et al teach a method comprising:

providing a plurality of multi-bit mask value(note figure 5, 510 and it is obvious that if there are multiple interleave configurations possible then multiple mask values will be used. Further note figures 3,4 which shows different interleave configurations);

providing a plurality of multi-bit match values (note column 7, lines 63-64 where the comparator is a "multi-bit match value");

selecting one of the plurality of multi-bit mask values based on a desired interleave entry size (it is obvious that if there are multiple interleave configurations possible then multiple mask values will be used. Further note figures 3,4 which shows different interleave configurations and so the selection of the mask value would depend on the interleave entry size)

extracting the second set of address bits from the first logical address using the selected multi-bit mask value (note column 7, lines 2-6-27 where the mask is used to mask out bits not required to determine row and so it could be used to extract the second set of address bits as it is used to identify the entry);

comparing the extracted second set of address bits to the plurality of multi-bit match values (note column 7, lines 65-67 where determining a specific row is done by matching value masked with comparator); and

wherein the first entry in the first set of entries is identified based at least in part on the comparison of the extracted second set of address bits to the plurality of multi-bit match values (note column 7, lines 65-67 where determining

a specific row is done by matching value masked with comparator and entry is taught by a row).

Hence, it would have been obvious to one of ordinary skill at the time the invention was made to have used multiple mask values and comparator values since that would reduce the size of the comparator required to match the values of the masked value and the comparator value. It would also be important to use different mask values for different interleave entry sizes so that groups can be distinguished between efficiently. It would additionally ease the process of mapping addresses to a specific entry item in the map table.

6.   Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lunteren (US Patent No. 6,381,668) in view of Harris et al (US-PGPUB No 2002/0087813).

a.   With regard to claim 33, Lunteren discloses each of the features as described for claim 1 above.

Lunteren fails to disclose a method wherein the memories are distributed across a plurality of cells with each cell including at least one processor, a cell controller, and an input/ output device.

Harris et al teach a method wherein the memories are distributed across a plurality of cells, with each cell including at least one processor, a cell controller, and an input/ output device (note figure 1 where the memory is divided amongst various cells and each cell has a processor, memory control and an input/ output device. Further note, page 2 para [0024] where an SMP node is described. An SMP node teaches a cell).

Hence it would have been obvious to one of ordinary skill in the art at the time the invention was made to have memories distributed across a plurality of cells, with each cell including at least one processor, a cell controller, and an input/ output device as taught by Harris et al in the invention of Lunteren since interleaved memory across several cells allows for more uniform access to memory.

Response to Amendment

7.   This is a response to the amendment filed by the applicant on 02/09/2004. A reply to the arguments by the applicant for claims 1-11 follows:

In response to the argument for claims 1-11, the examiner is surprised that the whole argument is based on the definition of "virtual memory", whose use and functionality has been well documented in the art. A reference to the definition of the term "virtual memory" has been cited above for definition purposes only. In view of this well known definition and the reference cited previously, the rejection on claims 1-11 is maintained.

Allowable Subject Matter

8.   Claim 30 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

9.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Saumil Shah whose telephone number is 703-305-8786.

The examiner can normally be reached on 9:00 AM to 5:30 PM M-F.

        If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Matt Kim can be reached on 703-305-3821. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

        Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Saumil Shah
Patent Examiner
AU: 2186

May 10, 2004

BEHZAD JAMES PEIKARI
PRIMARY EXAMINER